

CHANGZHOU LAMBER ELEC-TECH CO., LTD

2#, Zhensheng Road, Lijia Town; Changzhou City, Jiangsu Province
China. Post: 213100

TEL/WECHAT : +8613775198619

E-mail: lamberelec_sales@yeah.net <http://www.lmb-elec.com>

Specification









Code	MODEL	SPECIFICATION	MOQ 1000PCS					PHOTO
			25CM /30CM	50CM	1M	1.5M	2M	
1	LMB-AC35	USB A/M TO TYPE C MOLDING PLUG Jacket: PVC OD:3.8mm。26AWG Support: 5A HUWWEI SUPER FAST CHARGE	25CM /30CM	50CM	1M	1.5M	2M	
2	LMB-AC15	USB A/M TO TYPE C MOLDING PLUG Jacket: PVC OD:3.8mm。28AWG Support: 5A HUWWEI SUPER FAST CHARGE	25CM /30CM	50CM	1M	1.5M	2M	
3	LMB-AC40	USB A/M TO TYPE C MOLDING PLUG Jacket: tpe OD:3.6mm。30AWG Support: 6A HUWWEI SUPER FAST CHARGE			1M	1.5M	2M	
4	LMB-AC41	USB A/M TO TYPE C Metal PLUG Jacket: Nylon Braid OD:3.8mm。26AWG Support: 5A HUWWEI SUPER FAST CHARGE	30CM	50CM	1M	1.5M	2M	
5	LMB-AC80	USB A/M TO TYPE C Metal PLUG 26awg Jacket: Nylon Braid OD:4.2mm。 Support: 6A HUWWEI SUPER FAST CHARGE			1M			
6	LMB-OAC35	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.8mm。28AWG Support: 5A HUWWEI SUPER FAST CHARGE +OPPO Flash charging	25CM	50CM	1M	1.5M	2M	

7	LMB-OAC40	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.8mm。26AWG Support: 5A HUWWEI SUPER FAST CHARGE +OPPO Flash charging			1M	1.5M	2M	
8	LMB-AC130	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.8mm。24AWG Support: 6.5A HUWWEI SUPER FAST CHARGE +OPPO Flash charging	30CM	50CM	1M	1.5M	2M	
9	LMB-AC33W	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.5mm。24AWG Support:33W XIAOMI SUPER FAST CHARGE	30CM	50CM	1M	1.5M	2M	
10	LMB-AC120W	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.7mm。24AWG Support:120W XIAOMI FLASH CHARGE	30CM	50CM	1M	1.5M	2M	
11	LMB-VAC121W	USB A/M TO TYPE C MOLDING PLUG Jacket:TPE OD:3.7mm。24AWG Support:120W VIVIO FLASH CHARGE	30CM	50CM	1M	1.5M	2M	
12	LMB-AC63	USB A/M TO TYPE C MOLDING PLUG Jacket:TPE OD:3.8mm。24AWG Support:Iphone15+Huawei Fast CHARGE			1M	1.5M	2M	

13	LMB-AC64	USB A/M TO TYPE C MOLDING PLUG Jacket:TPE OD:3.8mm。24AWG Support:Iphone15+Huawei Fast CHARGE ,VOOC Flash charge			1M	1.5M	2M	 新品 NEW
14	LMB-MAC32	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.8mm。28AWG Support:6A 100W,Multi protocol fast charge			1M			 新品 NEW 6A/100W 多协议快充
15	LMB-SAC32	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.8mm。28AWG Support:3A with IC Protection samsung,xiaomi,vivo	30CM	50CM	1M	1.5M	2M	 智能保护电路 不烧手机 适用于三星、小米、VIVO等 手机大电流充电 3A 大电流
<h1>2A TYPE-C</h1>								
16	LMB-AC24A	USB A/M TO TYPE C MOLDING PLUG Jacket:PVC OD:3.5mm。28AWG Support:2.4A FAST CHARE	30CM	50CM	1M	1.5M	2M	
17	LMB-AC2A	USB A/M TO TYPE C MOLDING PLUG Jacket:TPE OD:3mm。 Support:2A	30CM	50CM	1M	1.5M	2M	
18	LMB-MAC2.4A	USB A/M TO TYPE C METAL PLUG Jacket:PVC OD:3.8mm+BRAID 28AWG Support:2.4A FAST CHARE	30CM	50CM	1M	1.5M	2M	

PD TYPE-C TO TYPE-C

19	LMB-2C3A	TYPE C TO TYPE C MOLDING PLUG Jacket:PVC OD:3.5mm 28AWG Support:3A 60W PD FAST CHARGE	30CM	50CM	1M	1.5M	2M	  
20	LMB-W2C4A	TYPE C TO TYPE C MOLDING PLUG Jacket:TPE OD:3.1mm 28AWG Support:3A 60W PD FAST CHARGE	30CM	50CM	1M	1.5M	2M	 
21	LMB-92C3A	TYPE C TO TYPE C MOLDING PLUG Jacket:TPE OD:2.9mm 28AWG Support:3A 60W PD FAST CHARGE			1M	1.5M	2M	 
22	LMB-62C3A	TYPE C TO TYPE C METAL PLUG Jacket:BRAID OD:3.6mm 26AWG Support:3A 60W PD FAST CHARGE	30CM	50CM	1M	1.5M	2M	
23	LMB-82C3A	TYPE C TO TYPE C METAL PLUG Jacket:BRAID OD:4.2mm 26AWG Support:3A 60W PD FAST CHARGE			1M		2M	
24	LMB-72C3A	TYPE C TO TYPE C ABS SHELL Jacket:BRAID OD:3.6mm 26AWG Support:3A 60W PD FAST CHARGE			1M			
25	LMB-82C3A	TYPE C TO TYPE C ABS SHELL Jacket:BRAID OD:3.5mm 26AWG Support:3A 60W PD FAST CHARGE	1M	1M	1.5M	1.5M	2M	

26	LMB-2C5A	TYPE C TO TYPE C MOLDING PLUG Jacket:TPE OD:3.0mm 26AWG Support:5A	30CM	50CM	1M	1.5M		
27	LMB-2C6A	TYPE C TO TYPE C MOLDING PLUG Jacket:PVC OD:4.0mm 26AWG Support:5A 100W PD FAST CHARGE,WITH EMARK IC	30CM	50CM	1M	1.5M	2M	
28	LMB-2C7A	TYPE C TO TYPE C MOLDING PLUG Jacket:PVC OD:4.0mm 26AWG Support:5A 140W /240 PD FAST CHARGE,WITH EMARK IC			1M			
29	LMB-2C8A	TYPE C TO TYPE C MOLDING PLUG Jacket:PVC OD:4.0mm 26AWG Support:5A 100W PD FAST CHARGE,WITH EMARK IC	30CM	50CM	1M	1.5M	2M	
30	LMB-2C9A	TYPE C TO TYPE C ABS PLUG Jacket:TPE OD:3.8mm 26AWG Support:5A 100W PD FAST CHARGE,WITH EMARK IC			1M	1.5M	2M	
31	LMB-2C10A	TYPE C TO TYPE C ABS PLUG Jacket:TPE OD:4.0mm 26AWG Support:5A 100W PD FAST CHARGE,WITH EMARK IC			1M	1.5M	2M	
32	LMB-2C11A	TYPE C TO TYPE C METAL PLUG Jacket:BRAID OD:4.2mm 26AWG Support:3A 100W PD FAST CHARGE WITH E-MARK IC	30CM	50CM	1M	1.5M	2M	
33	LMB-2C12A	TYPE C TO TYPE C METAL PLUG Jacket:BRAID OD:4.0mm 26AWG Support:3A 100W PD FAST CHARGE WITH E-MARK IC	30CM	50CM	1M	1.5M	2M	

CHANGZHOU LAMBER ELEC-TECH CO., LTD

2#, Zhensheng Road, Lijia Town; Changzhou City, Jiangsu Province
China. Post: 213100






TEL/WECHAT : +8613775198619

E-mail: lamberelec_sales@yeah.net <http://www.lmb-elec.com>

Specification






USB-LIGHTNING

CODE	MODEL	SPECIFICATIOB	MOQ 1000PCS					PHOTO
			30CM	50CM	1M	1.5M	2M	
1	LMB-AL241	USB A/M TO LIGHTNING MOLDING PLUG Jacket: PVC OD:3.5mm。28AWG Support: 5V 2.4A LIGHTNING FAST CHARGE	30CM	50CM	1M	1.5M	2M	
2	LMB-AL242	USB A/M TO LIGHTNING MOLDING PLUG Jacket: PVC OD:3.5mm。28AWG Support: 2.4A LIGHTNING FAST CHARGE	30CM	50CM	1M	1.5M	2M	
3	LMB-AL243	USB A/M TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 2.4A Out put: 1M/1.5M/2M 2.2A/1.9A/1.7A MOS : 32MΩ		50CM	1M	1.5M	2M	 重点推荐
4	LMB-AL244	USB A/M TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 2.4A Out put: 1M/1.5M/2M 2.4A/1.9A/1.7A MOS : 30MΩ	30CM		1M	1.5M	2M	 新品 NEW
		USB A/M TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG		50CM	1M	1.5M	2M	



5	LMB-AL245	OD:3.0mm。28AWG Support: 2.4A Out put: 1M/1.5M/2M 2A/1.7A/1.5A MOS : 85MΩ							
6	LMB-AL246	USB A/M TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 2.4A Out put: 1M/1.5M/2M 2.2A/1.9A/1.7A MOS : 40MΩ			1M	1.5M	2M		
7	LMB-AL247	USB A/M TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 2.4A Out put: 1M/1.5M/2M 2A/1.7A/1.5A MOS : 85MΩ			1M	1.5M	2M		
8	LMB-AL248	USB A/M TO LIGHTNING METAL PLUG Jacket: BRAID OD:4.2mm。28AWG Support: 12W 2.4A PD FAST CHARGE			1M		2M		 48编编织 USB转苹果
9	LMB-AL249	USB A/M TO LIGHTNING METAL PLUG Jacket: BRAID OD:3.8mm。30AWG Support: 5V 2.4A	30CM	50CM	1M	1.5M	2M		 新品 NEW






12W PD C-L CABLE

CODE	MODEL	SPECIFICATIOB	长度 (1K 以上报价)					产品图片
1	LMB-CL12W1	TYPE C TO LIGHTNING ABS SHELL PLUG Jacket: TPE OD:3.0mm。28AWG Support: 12W 1M/1.5M/2M 2.1A/2A/1.8A MOS:38 MΩ	0.3M		1M	1.5M	2M	 重点 推荐
2	LMB-CL12W2	TYPE C TO LIGHTNING ABS SHELL PLUG Jacket: TPE OD:3.0mm。28AWG	30CM		1M	1.5M	2M	

2	LMB-CL12W2	Support: 12W 1M/1.5M/2M 2.4A/1.9A/1.7A MOS:32 MΩ						
3	LMB-CL12W3	TYPE C TO LIGHTNING ABS SHELL PLUG Jacket: TPE OD:3.0mm。28AWG Support: 12W 1M/1.5M/2M 2.2A/1.9A/1.7A MOS:85 MΩ			1M	1.5M	2M	
4	LMB-CL12W4	TYPE C TO LIGHTNING ABS SHELL PLUG Jacket: TPE OD:3.0mm。28AWG Support: 12W 1M/1.5M/2M 2.2A/1.9A/1.7A MOS:38 MΩ			1M	1.5M	2M	
5	LMB-CL12W5	TYPE C TO LIGHTNING ABS SHELL PLUG Jacket: TPE OD:3.0mm。28AWG Support: 12W 1M/1.5M/2M 2A/1.7A/1.5A MOS:85 MΩ			1M	1.5M	2M	
6	LMB-CL12W6	TYPE C TO LIGHTNING METAL SHELL PLUG Jacket: BRAID OD:4.2mm。28AWG Support: 12W PD FAST CHARGE			1M		2M	

18W/20W/27W PD C-L

CODE	MODEL	SPECIFICATIOB						产品图片
1	LMB-CL27W1	TYPE C TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 27W MOS:32MΩ	30CM	1M	1.5M	1.5M	2M	
2	LMB-CL27W2	TYPE C TO LIGHTNING ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 27W MOS:18MΩ	30CM	1M	1.5M	2M		

3	LMB-CL27W3	TYPE C TO LIGHTNING ABS PLUG Jacket: TPE OD:3.5mm。28AWG Support: 27W MOS:18MΩ			1M	1.5M	2M	
31	LMB-CL27W4	TYPE C TO LIGHTNING ABS PLUG Jacket: TPE OD:3.6mm。28AWG Support: 27W MOS:32MΩ			1M	1.5M	2M	<p>48编彩色编织 全锌合金包胶， 7KG抗压力，不断头</p> 
32	LMB-CL27W5	TYPE C TO LIGHTNING ABS PLUG Jacket: NYLON BRAID OD:3.5mm。28AWG Support: 27W MOS:18MΩ		1M	1.5M	2M	2M	
4	LMB-CL27W6	TYPE C TO LIGHTNING METAL SHELL PLUG Jacket: NYLON BRAID OD:3.6mm。28AWG Support: 27W MOS:18MΩ	30CM	50CM	1M	1.5M	2M	
5	LMB-CL27W7	TYPE C TO LIGHTNING METAL SHELL PLUG Jacket: NYLON BRAID OD:4.2mm。28AWG Support: 27W MOS:18MΩ			1M			

CHANGZHOU LAMBER ELEC-TECH CO., LTD





2#, Zhensheng Road, Lijia Town; Changzhou City, Jiangsu Province China. Post: 213100

TEL/WECHAT : +8613775198619

E-mail: lamberelec_sales@yeah.net http://www.lmb-elec.com

Specification

USB A/A TO MICRO CABLE

CODE	MODEL	SPECIFICATION	MOQ 1000PCS					PHOTO
			30CM	50CM	1M	1.5M	2M	
1	LMB-AN241	USB A/M TO MICRO MOLDING PLUG Jacket: PVC OD:3.5mm。28AWG Support: 2.4A ANDROID FAST CHARGE			1M	1.5M	2M	
2	LMB-AN242	USB A/M TO MICRO ABS PLUG Jacket: TPE OD:3.0mm。28AWG Support: 2A ANDROID			1M	1.5M	2M	
3	LMB-AN243	USB A/M TO MICRO METAL SHELL PLUG Jacket: BRAID OD:3.8mm。28AWG Support: 2.4A ANDROID	30CM	50CM	1M	1.5M	2M	
4	LMB-AN244	USB A/M TO MICRO MOLDING PLUG Jacket: PVC OD:3.8mm。28AWG Support: 4A ANDROID OPPO FLASH CHARGE	30CM	50CM	1M	1.5M	2M	

CHANGZHOU LAMBER ELEC-TECH CO., LTD

2#, Zhensheng Road, Lijia Town; Changzhou City, Jiangsu Province
China. Post: 213100

TEL/WECHAT : +8613775198619

E-mail: lambelec_sales@yeah.net <http://www.lmb-elec.com>

Specification

USB 3 IN 1 CABLE

CODE	MODEL	SPECIFICATION	MOQ 1000PCS		PHOTO
1	LMB-3IN11	USB 3IN1 CABLE MOLDING PLUG Jacket: PVC OD:3.5mm。28AWG Support: 2.4A		1M	
2	LMB-3IN12	USB 3IN1 CABLE METAL PLUG Jacket: BRAID OD:3.1mm。30AWG Support: 2.4A		1.2M	
3	LMB-3IN13	USB 3IN1 CABLE METAL PLUG Jacket: BRAID OD:3.1mm。30AWG Support: 2.4A		18CM	
4	LMB-3IN14	USB 3IN1 CABLE METAL PLUG Jacket: BRAID OD:3.1mm。28AWG Support: 2.8A		1.25M	
5	LMB-3IN15	USB 3IN1 CABLE METAL PLUG Jacket: BRAID OD:3.1mm。26AWG Support: 5A		1M	

6	LMB-3IN16	USB 3IN1 CABLE METAL PLUG Jacket:BRAID OD:3.8mm。26AWG Support: 5A		1M	
7	LMB-3IN17	USB 3IN1 CABLE METAL PLUG Jacket:BRAID OD:3.8mm。26AWG Support: 6A 100W SUPPER FAST CHARGE	0.6M	1.1M	
8	LMB-3IN18	USB 3IN1 CABLE METAL PLUG Jacket:BRAID OD:4.2mm。26AWG Support: 6A 100W SUPPER FAST CHARGE ,MULTI-PROTOCOL		1.25M	

CHANGZHOU LAMBER ELEC-TECH CO., LTD


2#, Zhensheng Road, Lijia Town; Changzhou City, Jiangsu Province
China. Post: 213100

TEL/WECHAT : +8613775198619

E-mail: lamberelec_sales@yeah.net http://www.lmb-elec.com

Specification

USB Two core charging cable

CODE	MODEL	SPECIFICATIOB	MOQ 5000PCS				PHOTO
			0.3M	0.5M	1M	1.5M	
1	LMB-AC21	USB A/M TO MICRO MOLDING PLUG Jacket: PVC OD:3.0mm。30AWG	0.3M	0.5M	1M	1.5M	
2	LMB-AC22	USB A/M TO TYPE C MOLDING PLUG Jacket: PVC OD:3.0mm。30AWG	0.3M	0.5M	1M	1.5M	